

Nelco Products Incorporated
22 Riverside Drive
Pembroke, MA 02359

1. N-4-18-MD-6

Cable Tie, 3.9"L (100mm), Metal Detectable Nylon, Miniature cross section, Light Blue

▪ RoHS Compliancy Status	Compliant
▪ Part Description	Cable Tie, 3.9"L (100mm), Metal Detectable Nylon, Miniature cross section, Light Blue
▪ Product Type	Cable Ties
▪ Material	Metal Impregnated Nylon 6.6
▪ Color	Light Blue
▪ UL Listed	No
▪ Length (In.)	3.9
▪ Length (mm)	100
▪ Width (In.)	.098
▪ Width (mm)	2.5
▪ CE Marking	No
▪ Cross Section	Miniature
▪ Material Flammability Rating	UL 94-HB
▪ Max. Bundle Diameter (In.)	.87
▪ Max. Bundle Diameter (mm)	22
▪ Min. Loop Tensile Strength (Lbs.)	18
▪ Min. Loop Tensile Strength (N)	80
▪ Min. Order UOM	PC
▪ Min. Order Qty.	100

2. N-8-40-MD-6

Cable Tie, 8.0"L (203mm), Metal Detectable Nylon, Intermediate cross section, Light Blue

▪ RoHS Compliancy Status	Compliant
▪ Part Description	Cable Tie, 8.0"L (203mm), Metal Detectable Nylon, Intermediate cross section, Light Blue
▪ Product Type	Cable Ties
▪ Material	Metal Impregnated Nylon 6.6
▪ Color	Light Blue
▪ UL Listed	No
▪ Length (In.)	8.0
▪ Length (mm)	203
▪ Width (In.)	.135
▪ Width (mm)	3.4
▪ CE Marking	No
▪ Cross Section	Intermediate
▪ Material Flammability Rating	UL 94-HB
▪ Max. Bundle Diameter (In.)	2.00
▪ Max. Bundle Diameter (mm)	51
▪ Min. Loop Tensile Strength (Lbs.)	40
▪ Min. Loop Tensile Strength (N)	178
▪ Min. Order UOM	PC
▪ Min. Order Qty.	100

3. N-7-50-MD-6

Cable Tie, 7.3"L (186mm), Metal Detectable Nylon, Standard cross section, Light Blue

▪ RoHS Compliancy Status	Compliant
▪ Part Description	Cable Tie, 7.3"L (186mm), Metal Detectable Nylon, Standard cross section, Light Blue
▪ Product Type	Cable Ties
▪ Material	Metal Impregnated Nylon 6.6
▪ Color	Light Blue
▪ UL Listed	No
▪ Length (In.)	7.3
▪ Length (mm)	186
▪ Width (In.)	.190
▪ Width (mm)	4.8
▪ CE Marking	No
▪ Cross Section	Standard
▪ Material Flammability Rating	UL 94-HB
▪ Max. Bundle Diameter (In.)	1.85
▪ Max. Bundle Diameter (mm)	47
▪ Min. Loop Tensile Strength (Lbs.)	50
▪ Min. Loop Tensile Strength (N)	222
▪ Min. Order UOM	PC
▪ Min. Order Qty.	100

4. N-11-50-MD-6

Cable Tie, 11.5"L (291mm), Metal Detectable Nylon, Standard cross section, Light Blue

▪ RoHS Compliancy Status	Compliant
▪ Part Description	Cable Tie, 11.5"L (291mm), Metal Detectable Nylon, Standard cross section, Light Blue
▪ Product Type	Cable Ties
▪ Material	Metal Impregnated Nylon 6.6
▪ Color	Light Blue
▪ UL Listed	No
▪ Length (In.)	11.5
▪ Length (mm)	291
▪ Width (In.)	.190
▪ Width (mm)	4.8
▪ CE Marking	No
▪ Cross Section	Standard
▪ Material Flammability Rating	UL 94-HB
▪ Max. Bundle Diameter (In.)	3.00
▪ Max. Bundle Diameter (mm)	76
▪ Min. Loop Tensile Strength (Lbs.)	50
▪ Min. Loop Tensile Strength (N)	222
▪ Min. Order UOM	PC
▪ Min. Order Qty.	100

5. N-14-50-MD-6

Cable Tie, 14.4"L (366mm), Metal Detectable Nylon, Standard cross section, Light Blue

▪ RoHS Compliancy Status	Compliant
▪ Part Description	Cable Tie, 14.4"L (366mm), Metal Detectable Nylon, Standard cross section, Light Blue
▪ Product Type	Cable Ties
▪ Material	Metal Impregnated Nylon 6.6
▪ Color	Light Blue
▪ UL Listed	No
▪ Length (In.)	14.4
▪ Length (mm)	366
▪ Width (In.)	.190
▪ Width (mm)	4.8
▪ CE Marking	No
▪ Cross Section	Standard
▪ Material Flammability Rating	UL 94-HB
▪ Max. Bundle Diameter (In.)	4.00
▪ Max. Bundle Diameter (mm)	102
▪ Min. Loop Tensile Strength (Lbs.)	50
▪ Min. Loop Tensile Strength (N)	222
▪ Min. Order UOM	PC
▪ Min. Order Qty.	100

6. N-11-120-MD-6

Cable Tie, 11.1"L (282mm), Metal Detectable Nylon, Light-Heavy cross section, Light Blue

▪ RoHS Compliancy Status	Compliant
▪ Part Description	Cable Tie, 11.1"L (282mm), Metal Detectable Nylon, Light-Heavy cross section, Light Blue
▪ Product Type	Cable Ties
▪ Material	Metal Impregnated Nylon 6.6
▪ Color	Light Blue
▪ UL Listed	No
▪ Length (In.)	11.1
▪ Length (mm)	282
▪ Width (In.)	.300
▪ Width (mm)	7.6
▪ CE Marking	No
▪ Cross Section	Light-Heavy
▪ Material Flammability Rating	UL 94-HB
▪ Max. Bundle Diameter (In.)	3.00
▪ Max. Bundle Diameter (mm)	76
▪ Min. Loop Tensile Strength (Lbs.)	120
▪ Min. Loop Tensile Strength (N)	534
▪ Min. Order UOM	PC
▪ Min. Order Qty.	50

7. N-14-120-MD-6

Cable Tie, 14.4"L (366mm), Metal Detectable Nylon, Light-Heavy cross section, Light Blue

▪ RoHS Compliancy Status	Compliant
▪ Part Description	Cable Tie, 14.4"L (366mm), Metal Detectable Nylon, Light-Heavy cross section, Light Blue
▪ Product Type	Cable Ties
▪ Material	Metal Impregnated Nylon 6.6
▪ Color	Light Blue
▪ UL Listed	No
▪ Length (In.)	14.4
▪ Length (mm)	366
▪ Width (In.)	.300
▪ Width (mm)	7.6
▪ CE Marking	No
▪ Cross Section	Light-Heavy
▪ Material Flammability Rating	UL 94-HB
▪ Max. Bundle Diameter (In.)	4.00
▪ Max. Bundle Diameter (mm)	102
▪ Min. Loop Tensile Strength (Lbs.)	120
▪ Min. Loop Tensile Strength (N)	534
▪ Min. Order UOM	PC
▪ Min. Order Qty.	50